

H.Preiss water activators



# H.Preiss water activators

■ **Invigorating, energy-rich & protective**

■ **Designed for maximum results**

■ **Considerable value conservation of your devices**

**Thank you for allowing us to illustrate the benefits of our water activators.**

mer as well as significant savings and a considerable value conservation of your devices and your home.

About us: Helmut Preiss started his success story already in 1993, he realised early on that the future market of the 21st century will be „water“.

Since 2002, the visionary has not only made an excellent name for himself in the water market with his own company H.Preiss International but he revolutionised the market with the high-quality membrane technology water treatment systems. These innovative products sell fast not only in Germany, Austria and Switzerland but they are also available in adjacent EU countries such as The Netherlands, France, Slovenia, Belgium etc. Our international expert advisors will gladly advice you on site.

Thanks to outstanding engineers and a high-quality product management it was possible to place more premium products on the market. With the innovative H.Preiss water activators we continue to ensure a better quality of life, enjoyment and use for the consu-

■ **H.Preiss water activators help the water to regenerate itself**



**H.Preiss water activators 1 inch**

# Water is life

“All is born from water!  
All is sustained by water!  
Ocean, grant your eternal reign!”

Johann Wolfgang von Goethe



## The purity and quality of water is critical

Water is the basis of all life. Water can provide its life-giving force if it is clean. Let's have a look at the natural global water cycle.

Water evaporates, rises into the upper atmosphere and return back to earth as rain. Not a single drop is lost so that there is drought in some places and abundance in others. At an altitude above 100 km the tiny water drops have a diameter of only approx. 0.01 mm and are extremely round and dimensionally stable - similar to a small mercury bead. During the transition from liquid to gas, gravity is counteracted and thus all compressing forces associated with gravity. This is called levitation.

A purification and energising process takes place. The rain seeps into the soil and collects in underground water veins. When the water emerges again as a spring it is naturally pure. Spring water has become purified and absorbed earth energy on its long path through the layers of earth and rock. Unfortunately, as humans beings we rarely get to drink fresh and pure spring water nowadays. Usually, immature water is pumped from underground to the surface or contaminated surface water is „treated“.

### **Water has a memory; water is a carrier of information and a solvent.**

This means, for example, that water can collect and release healing and conscious-raising information of the earth and the cosmos as described by Rudolf Steiner. Information consists of electromagnetic oscillations of certain wavelengths that we also know from radio and TV or ultrasound, amongst others. They are transmitted according to the principles of the law of resonance which acts in all regions of the



universe.

### **We reap what we sow.**

There are no accidents; cosmos in Greek means „order“; so everything follows principles.

Biological systems can therefore exchange information via resonance and water is the carrier of information. Pathogenic information in the organism is physically deleted by its counter information without a chemically verifiable change. So we can transfer the oscillation or frequency to the organism to remind it of how to oscillate in a healthy way. This principle is also used in the bio-resonance therapy (orgone radiator).

### **The law of resonance acts in all areas of our being.**

At this point it must become clear that water also uses resonance to store in its memory all the to-

xins information with which it has come into contact and that it releases it again to other organisms. The call for clean air and environmental protection must therefore have absolute priority.

A lot of the environmental stress results from the fact that humans today uses explosive, hence outward directed, forces. These are destructive forces causing extreme subsequent damage. Yet, nature shows us day in and day out that implosive forces are not only more effective but also have no harmful side effects.

Nature does not know any straight running or piped river courses because it uses implosion instead of the centrifugal explosion to purify the water. The implosive force acts inward, thus centripetal, i.e. the force is focused on the centre. Streams left in their natural state produce swirling movements (eddies). This swirling allows the water to absorb oxygen and



“The water is a friendly element to a man who is at home in it and knows how to deal with it.”

Johann Wolfgang von Goethe

it can even purify itself to a certain degree. Organic contaminations are usually not a problem. It is the chemical toxic residuals and toxins information that lets the water collapse.

There are forward-looking scientists that say that our water is no longer able to regenerate itself on its own; it is already that much contaminated. The pollution consists essentially of exhaust gases and toxins from industry and agriculture but also from private households.

The waterworks make their best effort to filter the toxic substances from the water. These efforts must be increased year after year; it should therefore not astonish anyone that the permissible limit values are increased as a last resort.

It is not just the chemical substances (residual values) that threaten our organism but also and espe-

cially toxins information that is stored via resonance in the water memory and all biological organisms.

**At this point, the question arises whether the pollutant information can be deleted at all?**

Laser and X-ray radiation would delete the toxins information but new toxic compounds would form. Even radioactive radiation, which is sometimes used irresponsibly for the conservation of food, is not a solution.

**H.Preiss International has developed water activators that provide essential help to the harmed water to bring it back to its original state.**

We gladly explain this principle in more detail further below...

## Activated water has amazing properties

Through the consistent use of creation principles such as divine geometry according to the golden ratio, divine mathematics, cosmic wavelength of light, form radiation, among other things, the cosmic life energy is focused and - similar to a laser beam - bundled. Biological life would not be possible without the existence of this life energy. It is known to all cultures, for example, in Japan as „Reiki“, to the Chinese as „Chi“, to the Hindu as „Prana“, the Russians call it „bio plasma“, the Hawaiians „Huna“ and the Israelis „Manna“. Wilhelm Reich called it „Orgone energy“.

The water activators of H.Preiss International carry this bundled life energy at the speed of light. The water is practically absorbed in light.

### Something amazing happens then.

As is the case in the upper atmospheric layers, the surface tension of the water will be reduced. This makes it soft like rainwater.

Benefits: Soft water is better able to transport the nutrients toward the cells and the waste products away from them. It won't dry the skin. It better activates other substances so that you save on detergent and the heavily polluting softener. Toxins information has lower material vibrations.

The water activators, however, emit very high light frequencies. The activation or immersion in light stores these light frequencies in the water memory. Prof. Popp calls these smallest light particles „bio photons“. Quantum physics calls it „light quantum“. These light frequencies are measured in bio photon Hertz. When you drink activated water or bath in activated water more light particles will reach our etheric

bodies (emotional, mental and spiritual body) - also called aura - which nurtures them and allows for a better development. To strengthen the aura means also to strengthen the immune system whereby we build an outward acting, strong protective shield. Prof. Popp has also shown that these bio photons are found in organically produced food. Food produced in chemical agriculture, however, is energetically dead.

The H.Preiss water activators increase the oxygen content of the water; they support all natural regeneration processes and activate the microorganisms.

The taste of water is significantly improved; it is more harmonious and softer, even somewhat sweet. Coffee and tea will taste better that way. The inorganic minerals dissolved in the water can barely be absorbed by the organism and will in fact stress the body with deposits. The minerals in activated water remain capable of flowing as they have a different crystalline structure. The body will simply secrete anything that the body is not able to utilise.

Even the pipelines and heating elements will be protected from the deposits which will lead to energy savings. Existing limescale deposits will even be removed over time.


And now back to resonance. If you bath in low-energy „dead“ tap water your organism will release energy to the bathing water until it is in harmony with the bathing water. You feel tired after the bathing because you lost energy. However, if you bath in activated, energy-rich water, the process is reversed. Your organism will withdraw energy from the water



until both have adjusted. After your bath, you will feel much fresher and recharged.

**A note for all cooks:** Our food also benefits from energy-rich water. If, for example, peeled potatoes are placed in low-energy tap water, they will, as is generally known, leach out. Not so in case of activated water.

The quality and the taste of food prepared with activated water is also significantly improved. You will need less salt and spices to create a full taste experience.



**This will get the homemakers excited:**

Activated water cleans significantly better. Limescales no longer have to be polished, a simple wiping is sufficient. And you also save on detergents and rinsing agents.

It goes without saying that plants and animals also love the activated water. A healthy diet and healthy water is the basis for a healthy life. If the body is undernourished the mind will also fall ill and vice versa.

**It's a lot of fun to experiment with activated, living water.**

Over time, our perception becomes more and more sensitive and we will recognise the laws of creation in nature. The desire to live in harmony with nature

and not to work against it becomes stronger.

This script has provided you with basic knowledge on how the cosmos gives us a great opportunity to regenerate, even heal, the affected water. Due to the plus/minus polarities our three-dimensional world works like a pendulum. If it has swung far into the negative due to the environmental destruction by humans, it will swing back with great force into the positive. The water activator is surely such a positive impact.

Reference: Excerpts from „Lebenselexier Wasser“ (Elixir water) written by Herwig Haarlammert

“New acquired scientific knowledge can usually not be explained in such a way that its opponents are convinced. They will maybe die off and a new generation will be familiar with the truth right from the start.“

Max Planck

## Why is it recommended to drink activated water?

Water is the carrier of the life force.

What are the three most important functions of water?

1. Solvent
2. Means of transport
3. Cleaning agent

### Did you know?

98 % of all metabolic functions in the human body depend on two factors: The quantity and the quality of water.

### Why is water vitally important?

- Because a human being consists of more than 70 % of water.
- Because approx. 2000 litres of water flow through the kidneys and approx. 1400 litres through the brain within 24 hours.
- Because our body has a network of veins measuring approx. 100,000 km. Only 1.5 km thereof is visible. The rest can only be detected under the microscope or with strong imaging technologies.


### What are the consequences of a lack of water?

Already...

- at 2 %: Endurance and reasoning power (slight sensation of thirst) is reduced
- at 3 %: Deficiency in concentration and loss of performance, decline of saliva and urine production (dark urine)
- bei 4 %: nachlassende Kraft (Durstgefühl)
- at 5 %: Accelerated cardiac activity, increasing pulse and temperature (slight fever), anxieties.
- at 6 %: Weakness, irritability and exhaustion (strong sensation of thirst)
- at 8 %: Nausea and disorder of motor skills
- at 10 %: Confusedness (disorder of the central nervous system), cramps and trouble walking
- at 15 %: The life-threatening threshold has been exceeded; it may lead to skin cracks and organ failure
- at 20 %: Fatal, the organ system of a human being is no longer viable

## ■ No drying of the skin

### Proportion of water in the body:



Our body consists in fact of more than 70% of water

## ■ Identifying relationships and acting on it



## Principles and processes used by H.Preiss water activators

### Improvement of water quality

The H.Preiss water activators are the new dimension in the physical-energetic water treatment using a swirling technique following nature's example (meandering shape).

The H.Preiss water activator is a multi-layered bio energy accumulator that radiates in the flow direction of the water. The additional H.Preiss turbo charger radiates against the flow direction of the water.

### Swirling technology of the water activators

H.Preiss water activators are multi-layered bio energy accumulators featuring original Schauburger swirling technology that provides essential help to the low-energy water to bring it back into its original state.

Nature does not know any straight running or piped river courses because it uses implosion instead of the centrifugal explosion to purify the water.

The implosive force acts inward, hence it is centripetal. That means the force is focused on the centre. Streams left in their natural state produce swirling movements (eddies). This swirl allows the water to absorb oxygen and it can even purify itself to a certain degree. By the way, the Romans already installed meanders in their water lines for swirling.

### The information energy of water

Thanks to its special physical structure as a fluid crystal, water is able to absorb, store and pass on the frequency pattern from other substances. This is made possible by so-called hydrogen bridges.

The latest research results therefore also explain the effectiveness of homeopathy. Water reacts like a sensitive antenna to everything in its surroundings.

Scientific research has shown that even cosmic conditions such as planet constellations or moon phases will have an influence on water. In fact, it has been proven that water has a sort of „memory“. Water can store information and pass on this information. Unfortunately, it does not distinguish between positive and negative information. By analysing water, a German Diplom physicist was able to show that water still contained the electromagnetic vibrations of harmful substances even after purification. It is not the chemical substances then that will act on the organism but the harmful electromagnetic frequencies of the harmful substances. Such frequencies can be neutralised by the H.Preiss water activators.

### Example in nature

According to the principle of implosion, we use a meandering swirling spiral for the H.Preiss water activators. This meandering swirling spiral is modelled after nature. In nature, streams and rivers have these sinusoidal meandering courses. These meanders in the streams and rivers favour the swirling and the water will extract oxygen from the air during this process. The water is vitalised by this process and energetically purified.

The water flows into the device through three inlets passed the meandering swirling spiral made of food-safe POM (polyoxymethylene). The water swirl creates a hollow space at the tip behind the spiral creating a pull toward the centre of the pipe and thus an implosive or centripetal force which gently removes limescale and rust deposits from the downstream pipes. These effects that otherwise occur in nature are achieved by the H.Preiss water activators and could be verified through many tests.

“Water is the source  
of everything“

Thales von Milet

### Viktor Schauberger's findings

As a forest superintendent close to nature he discovered many methods that were very useful for agriculture and the handling of water (e.g. log flumes).

Schauberger developed a completely new concept of nature, energy and ultimately awareness. His understanding of nature and technology was distinctly different from today's highly industrialised civilisation. During the course of his work, Schauberger obtained 13 patents.

Just like Wilhelm Reich, Nikola Tesla and Georges Lakhovsky he is considered the discoverer of the so-called "free energy".




### Clear parallels:

Koodoo- double helix of DNA - water

The horn of the koodoo has the same shape as the double helix of DNA. Water takes the same shape if left unobstructed.


**Water is the carrier of the life force.**




**Insights into the water vitalising technology using the example of the H.Preiss water activator 1½ inch.**

The combination of know-how and the finest components result in unprecedented effective vitalisation!

- Orgone radiator made of brass
- Bright rock crystals and quartz sand inside the orgone radiator
- Mini bio-energy accumulator, radiating against the flow direction
- Food-safe, tested and certified PVC retrofitting
- Thread made of red brass
- 8 strong neodymium magnets
- Coated copper spiral
- Food-safe POM meander spiral modelled on nature
- Energy transfer via geometrical form radiations
- Maintenance-free bio-energy accumulators





A powerful anti-clockwise copper spiral with a 13-fold winding on the inner PVC tube.

PVC tube of PVC

PVC sleeve

Neodymium

Reducer

Bio-energy accumulator (maintenance-free orgone radiator) with 9 ribbed geometrical form radiation in the flow direction of the water. Above it you will find an additional clockwise Lakhovski copper spiral (can not be shown in this illustration). Inside the bio-energy accumulator is a brass spiral probe with a geometrical spiral milled into it and an additional turbo charger, an ampulla with special mineral water, rock crystals, quartz sand and biological cotton in which positive information is stored. This strengthens the energy absorption in an optimal way even if the water is in a resting state.

Red brass  
1½ inch

“Water does not work  
in the sense  
what it will bring along  
but what it takes along.“


Prof. Huchard

  
**The H.Preiss  
water activa-  
tors are  
manufactured  
exclusively in  
Germany.**  


## The swirling inside the H.Preiss water activators for the vitalisation, energisation of water and removal of lime is modelled after nature, with numerous mechanisms:


- Large Orgone radiator radiating in the flow direction of the water, with 5 organic and inorganic layers inside the device (vertical).
- Smaller mini orgone radiator radiating against the flow direction of the water.
- Geometrical form radiation for the ideal energy transfer.
- Nine-fold axial orgone layering of the overall device.
- 8 very strong neodymium magnets on the device: 4 magnets on the intake of the device and 4 magnets on the outlet of the device create two strong magnetic fields for changing the microstructure of the lime in water.
- Swirling spiral with meandering principle, with anti-clockwise and clockwise swirls following nature's example like in streams and rivers.
- 2 Lakhovsky copper spirals for an additional energising of the water, with a selected Fibonacci sequence.
- The overall device is shielded against electromagnetic and geopathic stray radiation.
- The implosion is generated on the cone at the outlet of the water from the swirling spiral following nature's example.

- The water will be enriched in the swirling spiral with oxygen information and a lot of other positive water information.
- In addition to the above mentioned active principles of implosion, the water swirl will also remove lime, rust and other deposits in the tube.
- The numerous active mechanisms create a soft water effect.



Inside and downstream of the meandering spiral the water is enriched by the bio-energy accumulator with oxygen information and further positive water information.

Magnetic field for the lime treatment



Downstream of the streamlined round plate the water meets three larger inlet channels and is then directed through the POM (polyoxymethylene) meandering spiral following nature's example. There is always an anti-clockwise and clockwise swirl generated at each meandering curve. The water is then directed into three inclined channels which make the water flow faster. This prepares the water for an optimum energy absorption by the bio-energy radiator and the following implosion.

Neodymium

Whirlpool  
(hollow inside)

## Effectiveness of individual components

### The swirling meandering spiral

The POM swirling meandering spiral consists of food-safe plastic. It is harmless for humans, animals and the environment (according to the Food Requirements Act). The swirling spiral guides the tap water through a sinusoidal curve which is also called the meander.

The Austrian Viktor Schauberg, a pioneer in water research and water swirling, said: „You must understand nature and then copy it“. The meandering shape of the POM swirling spiral has been copied from nature and has been integrated into a compact device and is based on research by Viktor Schauberg.

**Along the curves of the swirling spiral the water flowing through will even form micro eddies. The water is then swirled around anti-clockwise and then again clockwise. The water will be strongly vitalised which otherwise only happens directly in nature. As the water exits from the swirling spiral it will be subject to implosion due to the high line pressure (3 to 4 bar) (with a space void of air inside). The resulting whirlpool levitates the water, i.e. it is brought into a higher energetic state.**

### Neodymium magnets and water clusters

Strong industrial magnets (neodymium) (illustration below) are mounted to the inlet and outlet area of the H.Preiss water activator. The magnetic effect changes the microstructure of the lime dissolved in the water. The additional swirling of the water changes the water clusters resulting in the soft water effect. The lime changes insofar that it is no longer deposited as before on the inner walls of the water pipes, the water taps and the water boiler. Since the H.Preiss water activator is not a filter system the lime can not be separated from the water. However, as a user you will notice that the lime in the water boiler can be relatively easy washed off once a week with a conventional household sponge. The swirling of the water inside the water pipe also removes and flushes out the limescale and rust that accumulated over the years.



### Copper spirals for the additional energisation

In order to implement an additional action principle, two copper spirals have been installed into the H.Preiss water activator. Copper spirals give water an additional impulse for the energisation. This is an effect that was discovered by the Russian researcher Georges Lakhosky. Copper as a metal is considered invigorating, stimulating or vitalising for humans, animals and the earth. We use a clockwise copper spiral with 11 windings directly on the tip of the orgone radiator with its 9 ribs. The H.Preiss water activator 1 inch PVC retrofit houses an anti-clockwise copper spiral with 13 windings. We intentionally use a clockwise and an anti-clockwise spiral at the same time as these two ½ principle appear everywhere in nature.

Anti-clockwise is considered „energetically purifying“ or „deflecting from parasitic oscillations“ and clockwise is considered “invigorating“ or “stimulating“.

The number 13, the number of windings for the outer copper spiral, is not an accident but represents a number from the so-called Fibonacci number series. This series of numbers: 1, 2, 3, 5, 8, 13, 21, 34, 55, 89 etc. is a principle in nature according to which all living forms are build. According to this series of numbers, nature creates harmonious or organic growth.

## The orgone radiator

The core piece of the H.Preiss water activator is the so-called orgone radiator. The orgone energy can be traced back to a discovery of Dr. Wilhelm Reich. This orgone radiator collects bio-vital energy from nature and then releases this energy back to the water purified and enriched with a lot of positive information. The water will therefore get back its original vital quality.


The orgone radiator consists of brass which is an alloy made of copper and zinc. Since time immemorial these metals have been assigned specific properties. Copper stands for the planet Venus (female characteristics) and zinc for the planet Jupiter (male characteristics). Brass is the perfect symbiosis of these two classic metals. Brass was therefore, for example, already used by the ancient Egyptians. Brass as a metal is neutral for humans, animals and the environment and considered harmless (food-safe).

The orgone radiator has been designed according to exact dimensions. Its dimensions are 2 x the wavelength 7.23 cm. This wavelength is resonating with the cosmic background radiation that originates from the big bang, the origin of our universe. This wavelength corresponds to the „OM“ sound from Sanskrit.

The orgone radiator is a hollow body in the rear section. Inside the chamber there is a small turbo charger with a continuous clockwise threaded rod. It is filled with light-intense substances from nature. It contains alternating layers of organic cotton, transparent tumbled rock crystals and ultrapure quartz sand. The rear chamber of the orgone radiator has the effect of a catalyst: negative room radiation is purified.

Thanks to its geometrical form radiation (which goes back to the American researcher Drunvalo Melchizedek) the orgone radiator is able to transfer etheric information. The nine ribs of the radiator serve as the amplifier of the etheric bio-vital information to be transmitted. Thanks to the high vibrations of the 9 ribs that act like insulators the orgone radiator cleans itself energetically and does not accept any negative foreign information from its surroundings.

The hyperbolic shape of the tip bundles the etheric information of the orgone radiator and gives it off again in a directional beam to the flowing water in the line. In addition, there is a small turbo orgone radiator installed in the round plate at the inlet of the meander worm, which already radiates in the direction of the tap water. That way the incoming water already receives positive, etheric pre-information before it flows into the meander worm of the H.Preiss water activator. Overall, the water will be energised to a high degree by the built-in orgone radiator and the small turbo radiator and the toxins information in the energetic range will be deleted.



**Limescale deposits do not have a chance!**  
**The visible benefits:**



Before



After a few weeks

Heating spiral of a water boiler with limescale deposits and after using the water activator.



Before



After a few weeks

Cooking pot with lime deposits and after using the water activator.



Before



After a few months




Water pipeline with limescale deposits and after using the water activator.

**Quality made visible using the example of water crystals**

According to the research and findings of the world-famous water researcher Dr. Masaru Emoto, water is capable of storing environmental information and thus able to reproduce the water quality of the water crystals. For the photographs of the water crystals, 22 drops of the respective water sample were frozen. Afterwards, the drops were photographed under an electron microscope. The photos taken have been optimised using computer technology.

All pictures have been taken by Ernst F. Braun according to the process of Dr. Masaru Emoto.

**Visible benefits:**



Pictures on the left: Water molecules of common tap water

Pictures on the right: Water molecules after the water activation



## Installation examples of the H.Preiss water activator:

The compact H.Preiss water activators are properly and easily installed downstream of the water gauge and any possible water filter on an existing cold water connection by one of our many qualified fitters.


You will have excellent, fresh, live and vitalised waters available every day to prepare your dishes, beverages or simply for drinking.

“The noblest of the elements  
is water“

Pindar



Installation of a H.Preiss water activator in a one-family house..





## Benefits after the installation of the H.Preiss water activator in one-family and multi-family houses:

- Limescale deposits in pipelines and boiler systems are removed
- Shower heads and aerators do not have to be constantly replaced
- Easier care of shower partitions, stainless steel sinks, tiles and natural stones
- Reduces the use of chemical cleaners
- Hot water treatment is more effective and cost efficient
- Drinking water tastes better
- and many more...



## Benefits after the installation of the H.Preiss water activator in commercial facilities:

- Less energy consumption due to improved thermal conductivity
- Spray arms, inlet strainers, heating coils, heat exchangers, food warmers, coffee machines and door hinges no longer have to be maintained and replaced resulting in significant cost reductions
- Water in the heat circuit remains clear resulting in a better heat output
- Bacteria in the heating circuit are minimised resulting in less pipe corrosion
- and many more...



## The result after the installation will fully suit your taste!

Did you know that we humans are able to sense over ten thousand different flavours?

It is not without reason that we often talk about an „explosion of flavours“. In activated water all flavours and ingredients can fully develop. The dishes, the coffee or tea becomes an unequalled taste experience.

### Rediscover the pure taste of coffee and tea!


Just do something for your well-being. Stay relaxed while having a clean conscience regarding the environment. Just enjoy all your senses with a good feeling.

Enjoy now your „perfect activated water“ conveniently in your kitchen! No more trips to the beverages market and no hauling of boxes.

“Get to know the water right  
and it will always be  
a reliable friend“

Sebastian Kneipp







## Experiences in detail: Multi-family houses

### Benefits:

- Reduces the costs for repairs and maintenance work
- Longer service life of pumps and pipelines etc.
- Longer service life of coffee machines, washing machines and heat exchangers
- Improved performance thanks to an increased heat conductivity
- Active water lasts longer
- The water becomes softer
- Has a harmonising effect on humans
- Reduces limescale deposits in pipelines and boiler systems thanks to the soft water effect
- Well-being thanks to a natural indoor climate
- Heaters and floor heating pipes become free again
- and many more...





## Experiences in detail: Agriculture

### Benefits:

- Higher agricultural yields
- Stronger plant growth (for example grain and produce and many more)
- Animals prefer vitalised water and drink more of it
- More refined and fresher taste of food
- Vitalised water lasts longer
- When animals drink activated water the immune system of the animals becomes more robust resulting in fewer costs for veterinary expenses. Higher milk output of cows...
- Better barn climate and better rotting of the dung
- No increase of flies during heat waves
- Liquid manure can get into aerobic processes thanks to activated water
- and many more...





## Experiences in detail: Kitchens/canteen kitchens/restaurants

### Benefits:

- The dishes taste more refined and fresher
- More economical use of detergents and cleaning agents
- Ecological and environmentally friendly
- The facilities are better protected
- Less cleaning (limescale is removed and can be easier wiped away and flushed away)
- Reduces limescale deposits in pipelines and boiler systems
- Longer service life of devices such as coffee machines, washing machines and heat exchangers
- Reduces the costs for repairs and maintenance work
- All water-bearing parts such as spray nozzles and conveyor belts remain permanently operational
- Combi steam ovens, heat retaining basins and coffee machines are protected
- and many more...





## Experiences in detail: Nurseries/tree farms/greenhouses

### Benefits:

- More beautiful flowerage and stronger plant growth
- The water is enriched with oxygen information
- The water becomes softer
- Has a harmonising and vitalising effect on plants
- Reduces the surface tension of the water
- Longer service life of pumps and pipelines etc.
- Activated water acts like fertiliser
- Higher yields in vegetable cultivation
- Flowers and cut flowers can be longer preserved
- and many more...






## Experiences in detail: Animals

### Benefits:

- Animals prefer vitalised water and drink more it
- Strengthens the immune system when they drink activated water
- Saves veterinary costs
- Older animals become more vital
- More beautiful fur thanks to activated water
- Animals become more balanced
- Cows drink more water
- Drinking troughs are free of algae
- Milk tastes more refined
- Reduces the use of medicine
- If animals are doing well, humans are happy
- and many more...






## Experiences in detail: Hotel sector/hotel pool/wellness area

### Benefits:

- Improves the water quality in swimming pools, reduces the odour of chlorine
- A special feeling of well-being during bath and shower, noticeably softer water
- No drying of the skin
- Economical use of cleaning agents
- Longer service life of devices (heaters, bathroom fittings etc.)
- Rust deposits in the pipe system are removed
- Lower cleaning and maintenance costs as well as less use of chemicals
- Longer service life of coffee machines, washing machines and heat exchangers
- Less use of softeners - soft water effect
- Improved heat output to an increased heat conductivity
- and many more...





## Experiences in detail: Medical field

### Benefits:

- Has a harmonising effect on humans
- Improves the water quality in, for example, clinics and homes
- Reduces limescale deposits in pipelines
- Longer service life of devices (heaters, sanitary facilities etc.) in the bath, kitchen etc.
- Drinking water tastes better
- A full bath with activated water vitalises your skin, muscles and joints
- A drink cure with activated water strengthens the immune system
- Activated water can stimulate the digestion and metabolism
- and many more...





## Experiences in detail: Bakeries/breweries/laundries

### Benefits:

- Fresher and better taste of bakery products
- Lower cleaning and maintenance costs
- Longer service life of equipment
- Spray arms, inlet strainers, heating coils, heat exchangers, food warmers, coffee machines and door hinges no longer have to be constantly maintained and replaced resulting in significant cost reductions
- Bread and bakery products can be longer preserved
- Increase in sales thanks to the use of activated water for bakery products
- Faster fermentation of the beer slurry thanks to activated water
- Better fermentation of the sourdough thanks to activated water
- Less use of detergents and softener thanks to activated water
- and many more...






## Experiences in detail: Swimming pools/wellness facilities...

### Benefits:

- No irritation of the respiratory tracts
- Pleasant bathing experience thanks to noticeably softer water
- Minimised chlorine odour, reduced odour
- Pleasant eye and skin tolerance
- Optimised use of chemicals
- Economical use of cleaning agents
- Reduces the cleaning effort
- Fittings remain maintenance-free for a longer period of time
- Shower heads and aerators do not have to be constantly replaced
- Easier care of shower partitions, stainless steel sinks, tiles and natural stones
- Reduces the formation of limescale deposits
- and many more...






## Experiences in detail: Water and juice filling machines

### Benefits:

- Drinking water tastes better, full-bodied and more aromatic
- The cluster structures of the mineral water and the juices are positively affected
- Longer service life of equipment and pipelines
- The juices taste better
- Better vitality and bio-availability of all juices
- Minimises the bacteria in filling machines
- The drinking of activated mineral water and juices promotes health
- Mineral water as well as fruit and vegetable juices are preserved for a longer period of time
- Increases the well-being and promotes health
- and many more...





## Experiences in detail: Sewage plants

### Benefits:

- Reduces odour of the waste water
- Brings oxygen information into the waste water
- Reduces hydrogen sulphide, ammonia, methane and other rotting gases
- The consistency of the sludge remains smooth
- Faster transformation of the waste water and sludge
- No risk for rivers, streams and animals living in them if the water is introduced
- Aerobic bacteria flora is stimulated resulting in a reduced development of gas
- and many more...





## Experiences in detail: Industrial facilities

### Benefits:

- Less energy consumption due to improved thermal conductivity
- Water in the heat circuit remains clear resulting in a better heat output
- Reduces or stabilises corrosiveness
- Reduces limescale deposits in pipelines and boiler systems thanks to the soft water effect
- Lower cleaning and maintenance costs of filter equipment
- Bacteria in the heat and water circuit are minimised resulting in less pipe corrosion
- Reduces the growth of algae in the cooling water circuits
- Reduces the surface tension of the water
- Longer service life of all water-bearing machines
- and many more...







## Experiences in detail: Cooling water circuits/heat exchangers

### Benefits:

- Clear water inside the heater (reduces pipe corrosion)
- Reduces the tendency to accumulate sludge and the susceptibility to bacterial contamination, reduces odour
- Heaters and floor heating pipes are freed again
- Increases the thermal conductivity of the water resulting in less energy consumption
- Well-being thanks to a natural indoor climate
- Reduces the surface tension of the water
- Rust deposits are removed
- Positively affects the cluster structure of the water
- Lower cleaning and maintenance costs
- Cooling agents can be longer preserved
- and many more...





## Certifications of our manufacturer

### SGS INSTITUT FRESENIUS GmbH

Analysis of Tangit PVC adhesives according to LFGB (German Food and Feed Code).



SGS INSTITUT FRESENIUS GmbH Postfach 1201 52222 Neuwied

Hensel Klebstoffe KGaA  
Herr R. Dierdorf  
Henselstr. 57  
40391 Düsseldorf

Order No.: 721001  
Customer No.: 1005024  
Gabelstr. 53/53b/53c  
TVK +49 241 2704 111, Fax + 201  
Sales@fresenius@institut-fresenius.de

Competence Center  
Consumer Testing Services Institute  
SGS INSTITUT FRESENIUS GmbH  
Postfach 14  
40322 Tuischoven

Tuischoven, November 13<sup>th</sup> 2006

Your order/ Project : Investigation of gummy pipe connections  
Your commission sign : 4550627770  
Your date of order : July 21<sup>st</sup> 2006  
Sample No. : 010/8364351  
Examination period : 27.08. – 13.11.2006

**Test report No. 727685-01**  
**Investigation of Tangit PVC glue according LFGB**

Dear Mr. Dierdorf,

According to § 31 LFGB (German law for food, commodities and animal food), we investigated the samples which have been delivered at September 27<sup>th</sup> 2006 to our house. The aim of the investigation was to study the below mentioned glue Tangit PVC-U VC 3097. The analysis was done with glued plastic parts after hardening of the glue. The material of the plastic parts was considered as a blank value. The investigation contains the sensory evaluation, the global migration and specific migration for contact times up to 24 hours at temperatures up to 40 °C.

Sample No.	Sample description
010/8364351	Tangit PVC-U, VC 3097-exemplary (glued 08.09.06)
010/8364353	Check plot

Please quote the test results from the attachment.

**Assessment:**  
The investigated samples conform in all required points with German LFGB and the EG act 1915/2004 for watery, acidic and fat containing foods.

Kind regards,  
SGS INSTITUT FRESENIUS GmbH

*g.g.* *Mickley*  
L.V. Gabriele Götsch L.V. Inga Mickley

10 Hensel Str. 5242222 Tuischoven T +49 241 270 411 F +49 241 270 410 0000 www.institut-fresenius.de  
Sales@institut-fresenius.de Audit@institut-fresenius.de 5242222-Neuwied

### Georg Fischer Piping Systems Ltd.

The used PVC-U compositions comply with the KTW recommendations of the German health authority.



## Declaration to GF PVC-U

We hereby confirm that the GF Piping Systems for manufacturing of fittings and armatures used PVC-U recipes are conform with KTW recommendations of the Federal Health Authority:

Component:	Fed. Health Auth. Act:	Section:
PVC 10	2005	Piece of equipment
PVC 50	2005	Piece of equipment

The current certificates are available in your GF Sales Company.

Georg Fischer Piping Systems Ltd.

*K. Waltheide*  
Dr. Katrin Waltheide  
Manager Materials Technology

Georg Fischer Ltd.  
Eisenstr. 111, P.O. Box  
CH-8202 Schaffhausen/Schaffhausen  
Phone + 41 (0)52 4131 11 11, Fax +41 (0)52 4131 28 37  
info@piping.georgfischer.com, www.piping.georgfischer.com

25.01.06

### TZW Technologiezentrum Wasser

The fittings made of PVC 10 material comply with the requirements of the KTW directive of the German Federal Environmental Agency for equipment.



## CERTIFICATE

about the investigation of „fittings“ (Angel 90°) Ø 1 1/2“ of PVC 10“ material, according to the KTW Guidelines of German Federal Environment Agency (UBA)

Monitoring period : Special Audit 2007  
Producer : Georg Fischer Rohrleitungssysteme AG, Schaffhausen, SWISS  
Production group : (Ø 1 1/2“) PVC 10  
Delivery of samples : June 15<sup>th</sup> 2007  
Sampler : Customer

### Test results

- Formula was presented and verified
- Fitting material:  
Tin stabilized measured: 0,3 Gew. % Sn  
VC-concentration: Criterion ≤ 1,0 mg VC/kg sample measured: <0,1 mg VC/kg sample
- Material certificate according DVGW worksheet W 270 was not implemented.
- Basic requirement:

	Day 1 – 5	Day 6 – 8	Day 9 – 9	Criterion for 3 <sup>rd</sup> extract
Clarity, coloration, smell, taste, frothing	nil	nil	nil	Not noteworthy influenced
C-exhauste [mg C/m <sup>3</sup> l]	0,6	0,4	<0,4	≤ 12,5
Cl <sub>2</sub> -drain [mg Cl <sub>2</sub> /m <sup>3</sup> l]	5,4	3,2	1,3	≤ 10
- Additional demand:

SN release [mg/m <sup>3</sup> l]		Criterion completed	Drinkable water-SML-data according German law of commodities
3 Recipe components, which underlie secrecy		Criterion completed	Drinkable water-SML-data according German law of commodities

The investigated samples of Fittings (Angel 90°) (Ø 1 1/2“) of PVC 10“ material is conform to the requirements of KTW-guideline of German Federal Environment Agency (UBA) (September, 2005) for equipments.

Karlsruhe, August 3<sup>rd</sup> 2007

*U. W.*  
Dr. U. Wäger  
Head of the Testing centre

The Center of Technology is an initiative of DLRG Deutsche Technologie für die Wirtschaft e.V.  
DZWW TZW Technologiezentrum Wasser  
Duisburgerstr. 4, 41239 Solingen  
Headline: +49 (0)212 4131-11  
info@tzw.de

**DVGW Deutscher Verein des Gas- und Wasserfaches e.V.**

Micro-biological analysis of plastic pipes made of PVC-U based on CaZn stabilisers for the distribution of drinking water.



**DVGW** Deutscher Verein des Gas- und Wasserfaches e.V.

Certificate Authority

---

**DVGW – Type Examination Certificate** DW-8126AT2024  
Registration Number

<b>Field of Application</b>	Products of water supply
<b>Owner of certificate</b>	Georg Fischer DEKA GmbH, Kreuzstr. 22, D – 35232 Dautphetal
<b>Distributor</b>	Georg Fischer DEKA GmbH, Kreuzstr. 22, D – 35232 Dautphetal
<b>Product Category</b>	Plastic pressure pipes for supply: PVC-U for water supply, fabrication size 12 (R126)
<b>Product Description</b>	Plastic pipes of PVC-U, with basis of CaZn-stabilisers for drinking water distribution
<b>Model</b>	DEKA008
<b>Test Reports</b>	Check test laboratory: K 06 9955.5 and addition from 29.08.2006 (MFD); KTW ser: 039A06_1 from 07.06.2006 (TZW); Microbiological test: MO166A/D6 from 16.09.2003 (TZW)
<b>Basis of Type Examination</b>	DVGW GW 335-A1 (01.06.2003) BGA KTW (07.01.1977) DVGW W 270 (01.11.1999)

24.10.2006

DVGW – Certification body – accredited  
by Deutsche Akkreditierungsstelle  
Technik (DAK) e.V. for conformity  
assessment of products of gas and  
water supply



DAK 01.000006.01



DVGW – Deutsche Vereinigung  
des Gas- und Wasserfaches e.V.  
Technik- und Wasserfachlicher Verein  
Zerföhrungsbüro  
Graf-Weinberg-Str. 1 – 3  
50113 Bonn  
Telefon: +49 (0) 228 91 80 – 801  
Telefax: +49 (0) 228 91 80 – 891



## Product overview

### H.Preiss International water activator 1 inch (food-safe):

Length: 39 cm

Largest diameter: 9 cm

Maximum operating pressure: 10 Bar

Flow rate: 6,0 m<sup>3</sup>/h

Able to operate permanently under pressure, only for cold water equipment

Suitable for one, two and up to three-family houses



### H.Preiss International Wasseraktivator 1½ Zoll (lebensmittelecht):

Length: 55 cm

Largest diameter: 10 cm

Maximum operating pressure: 10 Bar

Flow rate: 15,0 m<sup>3</sup>/h

Able to operate permanently under pressure, only for cold water equipment

Suitable for multi-family houses, hotels, industrial and agricultural operations



### H.Preiss International water activator 2 inch (food-safe):

Length: 60 cm

Largest diameter: 13,5 cm

Maximum operating pressure: 10 Bar

Flow rate: 24,0 m<sup>3</sup>/h

Able to operate permanently under pressure, only for cold water equipment

Suitable for multi-family houses, hotels, industrial and agricultural operations



## Legal notice

The effectiveness of many alternative methods can still not be proven according to scientific criteria. The also applies to the water activators from H.Preiss International. According to traditional science, orgone energy as well as etheric vibrations do not exist. Therefore, natural science believes it is not possible that the supply of the organism with orgone energy or irritations of the etheric vibration fields have an influence on the physical well-being.

We hereby emphasise that we can not promise any medicinal benefits. The mentioned properties of our products are based solely on the experience made in the practical handling. However, they can not be confirmed by acknowledged measurement methods. The measurement methods that can prove the effects are not acknowledged according to the current scientific standards. You are therefore interested in devices based on ideas of outsider methods. We are therefore obligated to point out that our product can only create placebo effects according to the prevalent scientific knowledge. The use of H.Preiss International water activators should not replace the treatment by a doctor or healer in case of ailments.

We would like to thank you for your trust in us and wish you a lot of enjoyment with our product. If you have any questions, please do not hesitate to call us. We will gladly give you advice on the phone.

## Why should you buy a built-in water activator if you already own membrane technology equipment?

“Even though osmosis filtered water is chemically very pure, a German Diplom physicist was able to show that water still included the electromagnetic vibrations of harmful substances even after purification. We therefore offer you a reverse osmosis water filter system as a complete solution that includes our water activator based on an orgone radiator (the energisation unit).

The use of a reverse osmosis water filter system is not a substitute for the built-in water activators. These devices are still important for the removal of limescale and rust in the water circuit and heating water circuit as well as for the familiar effects of soft water, the increase of thermal conductivity, less use of detergents etc. In Germany, Austria and Switzerland, you can readily drink the tap water if a built-in water activator has been installed on site. It is chemically not pure despite the deletion of all toxins information and vitalisation of the water with the help of the swirling and the orgone radiator in the devices.

The water activators that you are familiar with treats the tap water in a strongly energetic way so that chemical substances can not accumulate in the body but are immediately secreted via the urine or the skin. The built-in water activators are not filters - this should be mentioned for a better understanding. But you will have chemically very pure water thanks to the reverse osmosis systems.“

## Reasons & facts for the purchase of a H.Preiss water activator

- Drinking water tastes better
- The water becomes softer
- Toxins information is deleted
- Tap water is energised
- Limescale is removed and can be easier wiped away and flushed away
- Less consumption of detergent
- Has a harmonising effect on humans, animals and plants
- Increases the thermal conductivity of the water
- Reduces odour
- No drying of the skin
- Improves the water quality in house baths and garden pools
- No maintenance costs
- Brings oxygen information into the water
- Water in heating circuits remains clear (reduces pipe corrosion)
- Reduces the surface tension of the water
- Rust deposits are removed
- Positively affects the cluster structure of the water
- Reduces limescale deposits in pipelines and boiler systems
- Lower cleaning and maintenance costs
- Longer service life of coffee machines, washing machines and heat exchangers etc.
- Environmentally friendly

The H.Preiss water activators combine numerous operating principles whereby nature is the role model.

Among other things, we fall back on the research and findings of the bio-energy researcher such as Viktor Schauberger, Dr. Wilhelm Reich, Georges Lakhovsky and Drunvalo Melchizedek.

Equipped with wonderful properties, the H.Preiss water activators combine all properties to allow for a maximum vitalisation of water.

Presented by:



**H.Preiss International**

Owner: Helmut Preiss  
Kleibäckerstraße 6  
91472 Ipsheim  
Germany

Phone +49 (0)98 46 - 9 77 93 - 0  
Fax +49 (0)98 46 - 9 77 93 32  
E-Mail [info@hpreiss.de](mailto:info@hpreiss.de)  
Internet [www.hpreiss.com](http://www.hpreiss.com)